

APPLICATION FOR PERMIT

Serial No. 6830

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of first receipt and filing in State Engineer's office DEC 2 1922
 Returned to applicant for correction _____
 Corrected application filed _____

The undersigned Mrs. Caroline T. Newhall
Name of applicant
 of San Francisco, County of San Francisco,
 State of California, hereby make 8 application for
 permission to appropriate the public waters of the State of Nevada, as
 hereinafter stated. (If applicant is a corporation, give date and place
 of incorporation.) _____

1. The source of the proposed appropriation is a Creek-unnamed-which
Name of stream, lake, or other source
Flows into Lake Tahoe at Skunk Harbor
2. The amount of water applied for is 3 second-feet.
One-second-foot equals 40 miners' inches
3. The water to be used for Domestic uses
Irrigation, power, mining, manufacturing, domestic, or other use
4. The water is to be diverted from its source at the following point:
in the S.E. quarter of Lot 4 of the Fcl. E. $\frac{1}{2}$ of Section 27.
Describe as being within a 40-acre subdivision of public survey, or by course and distance to a section-corner. If on unsurveyed land, it should be so stated.
T.15 N., R.18 E., M.D.B. and M.

IF THE WATER IS TO BE USED FOR IRRIGATION, SUPPLY THE FOLLOWING INFORMATION:

- (a) Number of acres to be irrigated is _____
- (b) Description of land to be irrigated _____
Describe by legal subdivision, or if on unsurveyed land it should

be so stated and a description provided in accordance with special instruction from the State Engineer when application is returned for correction.

- (c) Irrigation will begin about _____ and end about _____
Month, of each year.

IF WATER IS TO BE USED FOR POWER, MINING, TRANSPORTATION, OR OTHER USE, SUPPLY THE FOLLOWING INFORMATION:

- (d) Power to be developed is 10 horsepower.
- (e) Works to be located on shore of Lake Tahoe in Lot 4 of Fcl. E. $\frac{1}{2}$
Give 40-acre subdivision on which works will be located, or locate by course and distance to a section-corner.
of Sec. 27, T.15 N., R.18 E., M.D.M., at Skunk Harbor
- (f) Point of return of water to stream 550 ft. East from N.E. corner
Describe in same manner as point of diversion.
of Fcl. West half of Sec. 27, T 15 N., R.18 E., M.D.M.
- (g) Remarks This water is to be used solely for domestic purposes
and personal uses of the Applicant, improvements of the property at
Skunk Harbor, house lighting and development

DESCRIPTION OF PROPOSED WORKS

Construction of a small masonry dam, thence through a pipe line

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. If water

3" dia., to a residence site on the Lake shore at Skunk Harbor;

is to be stored in reservoirs, it should be so stated and the location of the reservoir should be given with reference to the legal subdivisions.

Also by a ditch, w.p. 3.7; a 2. s. .005 C 46 Q 2.4 c.f.s.

5. Estimated cost of works \$500.00

6. Estimated time required to construct works Fall of 1923

7. Remarks

For use of applicant

Mrs. Caroline T. Newhall, Applicant.

By J.C. Boyd her Agent.

Compared P.P. Jones.

This sheet inspected

, Engineer.

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application,

and do hereby grant the same, subject to the following limitations and

conditions: This permit is issued subject to all prior rights on the source. It is understood that the 3.0 cubic feet of water per second herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to a beneficial use. A suitable measuring device must be installed and accurate measurements of the water placed to a beneficial use must be included in the proof of beneficial use when filed. The State reserves the right to regulate the use of the water herein granted at any and all times. It is distinctly understood that applicant agrees to the terms herein contained.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 3.0 cubic feet per second.

Actual construction work shall begin on or before July 11, 1923.

Proof of commencement of work shall be filed before August 11, 1923.

Work must be prosecuted with reasonable diligence and be completed on or before July 11, 1924.

Proof of completion of work shall be filed before August 11, 1924.

Application of water to beneficial use shall be made on or before

July 11, 1926

Proof of the application of water to beneficial use must be filed with State Engineer on or before August 11, 1926

Proof of labor filed AUG - 7 1924

WITNESS MY HAND AND SEAL this 11th day

Map filed Aug 7, 1924

Proof of completion of work filed Dec 4-1924 of June, 1923.

Proof of Beneficial use filed Oct 7, 1927

Map filed Aug 15, 1928

Certificate No. 1547 Issued 3-16-1929 State Engineer.

Recorded Bk Page

County Records